Ref #	Hits	Search Query	DBs	Default Operat or	Plural s	Time Stamp
L1	6625	conver\$6 adj format	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:20
L2	20491	SDRAM or (synchronous adj dynamic adj random adj access) or DDR or (double adj data adj rate) or rambus	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:21
L3.	4	1 same 2	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:24
L4	280	1 and 2	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:21
L5	7	4 and PCI and SCSI	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:25
L6	2	4 and (low adj power adj mode)	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:29
L7	2152	upper adj address	US-PGPU B; USPAT; EPO, JPO; IBM_TDB	OR	OFF	2005/06/29 18:22
L8	2806	lower adj address	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:23
L9	3325	select adj bit	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:23
L10	9837	memory adj map	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:23

L11	0	4 and 8 and 9 and 10	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:23
L12	15	7 and 9 and 10	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:43
L13	294	2 and 9	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:24
L14	153	13 and format	US-PGPU B; USPAT; EPO, JPO; IBM_TDB	OR	OFF	2005/06/29 18:24
L15	14	2 same 9	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:32
L16	217	7 and 10	US-PGPU B; USPAT; EPO, JPO; IBM TDB	OR	OFF	2005/06/29 18:43
L17	318	8 and 10	US-PGPU B; USPAT; EPO; JPO; IBM TDB	OR	OFF	2005/06/29 18:43
L18	183	16 and (region or range)	US-PGPU B; USPAT; EPO; JPO; IBM TDB	OR	OFF	2005/06/29 18:44
L19	1165	10 same (region or range)	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:44
L20	57	19 same upper same lower	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:45
L21	6	2 and 20	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 18:48

L22	50	(("6175889") or ("5878237") or ("6085273") or	US-PGPU B; USPAT;	OR	OFF	2005/06/29 19:09
		("6195717") or ("5696768")	EPO; JPO;			
		or ("5937170") or ("5999743") or ("5936640")	IBM_TDB			
		or ("5727207") or				
		("5881281") or ("5914727")				
		or ("5914730") or				
		("5835960") or ("5892964")				
		or ("5898886") or ("5928339") or ("5933158")				
		or ("5990914") or				
		("5999198") or ("6326973")				
		or ("6351819") or				
		("6462745") or ("6567880")				
		or ("5826068") or ("6185642") or ("5729705")				
		or ("5734848") or				
	1	("6000043") or ("6018810")				
		or ("6230216") or				
		("5918069") or ("6230215")				
		or ("5790831") or ("5974495") or ("5878045")				
		or ("5941970") or				
		("6067595") or ("5890002")				
		or ("6098141") or				
		("5944807") or ("6016315")				
		or ("5450551") or ("5499346") or ("5542053")				
		or ("5559968") or				
		("5649162") or ("5748920")				
		or ("5774681") or				
		("5887157") or ("5913045")). PN.				
	000					
L23	820	(711/173).CCLS.	US-PGPU B; USPAT;	OR	OFF	2005/06/29 19:09
			EPO, JPO;			13.03
			IBM_TDB			
L24	1379	(711/167).CCLS.	US-PGPU	OR '	OFF	2005/06/29
		(B; USPAT;			19:09
	:		EPO; JPO;			
			IBM_TDB			<u>.</u>
L25	1681	(711/170).CCLS.	US-PGPU	OR	OFF	2005/06/29
			B; USPAT;			19:09
			EPO, JPO, IBM TDB			
			TDIM TDR			

L26	1859	(711/154).CCLS.	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 19:09
L27	340	(memory adj card) with blocks	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 19:10
L28	1	27 and PCI and SCSI	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 19:10
L29	7579	2 and blocks	US-PGPU B, USPAT, EPO, JPO, IBM_TDB	OR	OFF	2005/06/29 19:10
L30	658	29 and PCI and SCSI	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 19:11
L31	1335	2 same blocks	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 19:11
L32	47	31 and PCI and SCSI	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 19:11
L33	2	10 and 32	US-PGPU B; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/06/29 19:11